

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Serial No.

Date of first receipt and filing in State Engineer's office APR 8 1955
 Returned to applicant for correction _____
 Corrected application filed _____

The undersigned Hillcrest Manor Water Users Association
 of 4800 Madre Mesa Drive, Las Vegas, Nevada, Name of applicant
 County of Clark,
 State of Nevada, hereby make s application for
 permission to appropriate the public waters of the State of Nevada, as
 hereinafter stated. (If applicant is a corporation, give date and place
 of incorporation.) _____

1. The source of the proposed appropriation is underground (Las Vegas Artesian Basin).
Name of stream, lake, or other source
2. The amount of water applied for is 0.15 second-feet.
One second-foot equals 40 miners' inches
3. The water to be used for quasi-municipal and domestic purposes.
Irrigation, power, mining, manufacturing, domestic, or other use
4. The water is to be diverted from its source at the following point:
Well No. 2: NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 13, T. 20 S., R. 60 E., M.D.B. & M. at a
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section corner. If on unsurveyed land, it should be so stated.
point from which the West $\frac{1}{4}$ corner of said Section 13 bears N. 62
degrees - 38' -56" W. a distance of 874.9 Feet.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is _____
- (b) Description of land to be irrigated _____
Describe by legal subdivision, or if on unsurveyed land it should be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

- (c) Use will begin about _____ and end about _____, of each year.
Month Month

IF WATER IS TO BE USED FOR POWER, MINING, STOCK WATERING, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION

- (d) Power to be developed is _____ horsepower.
- (e) Place of use N $\frac{1}{2}$ SW $\frac{1}{4}$ Section 13, T. 20 S., R. 60 E., M.D.B. & M.
Give location of place of use by legal subdivision
- (f) Point of return of water to stream _____
Describe in same manner as point of diversion
- (g) State number and kinds of animals to be watered _____
- (h) Use will begin about Jan. 1 and end about Dec. 31, of each year.
Month Month

(i) Remarks This is the proposed second well that will probably be needed to supply water to The Hillcrest Subdivision. This well (Well No. 2) will supplement Well No. 1.

DESCRIPTION OF PROPOSED WORKS

Upon completion of the drilling and casing of this well, it is planned to install an adequate pump and a 500 gallon or perhaps a 1,000 gallon tank (when needed). The water from this well will be distributed to the points of use by a pipe system which will also be supplied by Well No. 1. The distribution system will be designed later.

- 5. Estimated cost of works \$1,000 to \$1,500 exclusive of cost of well and distribution system.
6. Estimated time required to construct works 30 to 60 days.
7. Remarks By drilling this second well an adequate supply of water should be provided for this subdivision.

Hillcrest Manor Water Users Association, Applicant.

By s/ A. Swartz

Compared H.L. Dwyer A. Swartz.

This sheet inspected, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: source and is limited to what the well will produce but not to exceed 0.15 c.f.s. If well is flowing, a valve must be installed and maintained to prevent waste. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level at permittees well due to other ground water development in the area. This source is located within an area designated by the State Engineer pursuant to Section 4 of the 1939 Ground-Water Act (Chap. 178, Stats. 1939 as amended); therefore the State retains the right to regulate the use of the water herein granted at any and all times. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.15 cubic feet per second.

Actual construction work shall begin on or before December 18, 1956.

Proof of commencement of work shall be filed before January 18, 1957.

Work must be prosecuted with reasonable diligence and be completed on or before December 18, 1957.

Proof of completion of work shall be filed before January 18, 1958.

Application of water to beneficial use shall be made on or before

December 18, 1959. Proof of the application of water to beneficial use must be filed with State Engineer on or before January 18, 1960.

Witness my hand and seal this 18th day of June, 1956.

HUGH A. SHAMBERGER State Engineer. EDMUND MUTH Assistant State Engineer

218 CERTIFICATE No. 5904 ISSUED June 9, 1965 RECORDED June 17, 1965 BK. 635 PAGE 5146 BY [Signature] COUNTY RECORDER

Proof of Completion of work filed JAN 20 1958 PROOF OF BENEFICIAL USE FILED JAN 27 1960

MAR 28 1955 under 16309